Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
J. L. Mandel
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg
P. Wright
K. R. Yamamoto
M. Yanagida

Volume 209
5 September to 20 October 1989

ACADEMIC PRESS
Harcourt Brace Jovanovich, Publishers
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1989, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 209

Number 1, 5 September 1989

Spoerel, N. A., Nguyen, H. T., Eickbush, T. H. and Kafatos, F. C., Gene Evolution and Regulation in the Chorion Complex of *Bombyx mori*. Hybridization and Sequence Analysis of Multiple Developmentally Middle A/B Chorion Gene Pairs . . . 1

Auer, J., Spicker, G. and Böck, A., Organization and Structure of the *Methanococcus* Transcriptional Unit Homologous to the *Escherichia coli* "Spectinomycin operon". Implications for the Evolutionary Relationship of 70 S and 80 S Ribosomes . . 21

Andachi, Y., Yamao, F., Muto, A. and Osawa, S., Codon Recognition Patterns as Deduced from Sequences of the Complete Set of Transfer RNA Species in *Mycoplasma capricolum*. Resemblance to Mitochondria 37

Griffo, G., Oppenheim, A. B. and Gottesman, M. E., Repression of the λ p*cin* Promoter by Integrative Host Factor 55

Curran, J. F. and Yarus, M., Rates of Aminoacyl-tRNA Selection at 29 Sense Codons *in Vivo* 65

Brown, S., Time of Action of 4·5 S in *Escherichia coli* Translation 79

Grimes, S. and Anderson, D., *In Vitro* Packaging of Bacteriophage ϕ29 DNA Restriction Fragments and the Role of the Terminal Protein gp3 91

Grimes, S. and Anderson, D., Cleaving the Prohead RNA of Bacteriophage ϕ29 Alters the *in Vitro* Packaging of Restriction Fragments of DNA–gp3 101

Ikeda, T., Asakura, S. and Kamiya, R., Total Reconstitution of *Salmonella* Flagellar Filaments from Hook and Purified Flagellin and Hook-associated Proteins *in Vitro* . 109

Verschoor, A., Zhang, N.-Y., Wagenknecht, T., Obrig, T., Radermacher, M. and Frank, J., Three-dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit. 115

Vonderviszt, F., Kanto, S., Aizawa, S.-I. and Namba, K., Terminal Regions of Flagellin are Disordered in Solution 127

Rodríguez-Campos, A., Shimamura, A. and Worcel, A., Assembly and Properties of Chromatin Containing Histone H1 135

Lindqvist, Y., Refined Structure of Spinach Glycolate Oxidase at 2 Å Resolution . . 151

Letters to the Editor

Bergfors, T., Rouvinen, J., Lehtovaara, P., Caldentey, X., Tomme, P., Claeyssens, M., Pettersson, G., Teeri, T., Knowles, J. and Jones, T. A., Crystallization of the Core Protein of Cellobiohydrolase II from *Trichoderma reesei* . . 167

Sass, H. J., Büldt, G., Beckmann, E., Zemlin, F., van Heel, M., Zeitler, E., Rosenbusch, J. P., Dorset, D. L. and Massalski, A. Densley Packed β-Structure at the Protein–Lipid Interface of Porin is Revealed by High-resolution Cryo-electron Microscopy. 171

Altschuh, D., Kocher, H.-P., Quesniaux, V. F. J., Schmitter, D., Van Regenmortel, M. H. V. and Thierry, J.-C., Crystallization and Preliminary X-ray Investigation of a Complex Between a Fab Fragment and Its Antigen, Cyclosporin 177

Announcement 179

Number 2, 20 September 1989

Shapiro, S. G. and Moshirfar, M., Structure of the Goat $\psi\beta^{y}$ β-Globin Pseudogene. Analysis of Goat Pseudogene Evolutionary Patterns 181

Tomcsanyi, T. and Berg, D. E., Transposition Effect of Adenine (Dam) Methylation on Activity of O End Mutants IS*50* 191

Romac, S., Leong, P., Sockett, H. and Hutchinson, F., DNA Base Sequence Changes Induced by Ultraviolet Light Mutagenesis of a Gene on a Chromosome in Chinese Hamster Ovary Cells 195

Vaulont, S., Puzenat, N., Levrat, F., Cognet, M., Kahn, A. and Raymondjean, M., Proteins Binding to the Liver-specific Pyruvate Kinase Gene Promoter. A Unique Combination of Known Factors 205

Vartikar, J. V. and Draper, D. E., S4–16 S Ribosomal RNA Complex. Binding Constant Measurements and Specific Recognition of a 460-Nucleotide Region 221

Lecomte, J. T. J., Smit, J. D. G., Winterhalter, K. H. and La Mar, G. N., Structural and Electronic Properties of the Liver Fluke Heme Cavity by Nuclear Magnetic Resonance and Optical Spectroscopy. Evidence for a Distal Tyrosine Residue in a Normally Functioning Hemoglobin 235

Volbeda, A. and Hol, W. G. J., Crystal Structure of Hexameric Haemocyanin from *Panulirus interruptus* Refined at 3·2 Å Resolution 249

Kelly, J. A., Knox, J. R., Zhao, H., Frère, J.-M. and Ghuysen, J.-M., Crystallographic Mapping of β-Lactams Bound to a D-Alanyl-D-Alanine Peptidase Target Enzyme . 281

Sage, E., Le Doan, T., Boyer, V., Helland, D. E., Kittler, L., Helene, C. and Moustacchi, E., Oxidative DNA Damage Photo-induced by 3-Carbethoxypsoralen and Other Furocoumarins. Mechanisms of Photo-oxidation and Recognition by Repair Enzymes 297

Letters to the Editor

Georgalis, Y., Zielenkiewicz, P. and Saenger, W., Evidence for Rapid Association–Dissociation of Ribonuclease T_1 from a Recombinant Strain of *Escherichia coli* . 315

Yuhasz, S. C., Ysern, X., Strand, M. and Amzel, L. M., Crystallization and Preliminary X-ray Diffraction Studies of an Anti-4-hydroxy-3-nitrophenylacetic Acid Monoclonal Antibody Fab Fragment Complexed with Immunizing and Heteroclitic Haptens 319

Koszelak, S., Dodds, J. A. and McPherson, A., Preliminary Analysis of Crystals of Satellite Tobacco Mosaic Virus 323

Trakhanov, S., Yusupov, M., Shirokov, V., Garber, M., Mitschler, A., Ruff, M., Thierry, J.-C. and Moras, D., Preliminary X-ray Investigation of 70 S Ribosome Crystals from *Thermus thermophilus* 327

Norris, G. E., Baker, H. M. and Baker, E. N., Preliminary Crystallographic Studies on Human Apolactoferrin in its Native and Deglycosylated Forms 329

Announcement 333

Number 3, 5 October 1989

Kannan, P., Cowan, G. M., Daniel, A. S., Gann, A. A. F. and Murray, N. E., Conservation of Organization in the Specificity Polypeptides of Two Families of Type I Restriction Enzymes 335

Berg, K. L., Squires, C. and Squires, C. L., Ribosomal RNA Operon Anti-termination. Function of Leader and Spacer Region Box B–Box A Sequences and Their Conservation in Diverse Micro-organisms 345

Folley, L. S. and Yarus, M., Codon Contexts from Weakly Expressed Genes Reduce Expression *in Vivo* 359

Parent, A., Wilson, R. C., Zeitlin, S. and Efstratiadis, A., Complementation of *In Vitro*-assembled Spliceosomes 379

Ludtke, D. N., Eichorn, B. G. and Austin, S. J., Plasmid-partition Functions of the P7 Prophage 393

Turner, D. R., McGuigan, C. J. and Butler, P. J. G., Assembly of Hybrid RNAs with Tobacco Mosaic Virus Coat Protein. Evidence for Incorporation of Disks in 5′-Elongation Along the Major RNA Tail 407

Carey, M., Kakidani, H., Leatherwood, J., Mostashari, F. and Ptashne, M., An Amino-terminal Fragment of GAL4 Binds DNA as a Dimer 423

van Amerongen, H. and van Grondelle, R., Orientation of the Bases of Single-stranded DNA and Polynucleotides in Complexes Formed with the Gene *32* Protein of Bacteriophage T4. A Linear Dichroism Study 433

Zlotnick, A. and Brenner, S. L., An Alpha-helical Peptide Model for Electrostatic Interactions of Proteins with DNA. The N Terminus of RecA 447

Dock-Bregeon, A. C., Chevrier, B., Podjarny, A., Johnson, J., de Bear, J. S., Gough, G. R., Gilham, P. T. and Moras, D., Crystallographic Structure of an RNA Helix: $[U(UA)_6A]_2$ 459

Wright, C. S., Comparison of the Refined Crystal Structures of Two Wheat Germ Isolectins 475

Letters to the Editor

Shikama, K. and Matsuoka, A., Spectral Properties Unique to the Myoglobins Lacking the Usual Distal Histidine Residue 489

Lankenau, D.-H., Huijser, P. and Hennig, W., Characterization of the Long Terminal Repeats of Micropia Elements Microdissected from the Y-Chromosomal Lampbrush Loops "Threads" of *Drosophila hydei* 493

Jäger, J., Köhler, E., Tucker, P., Sauder, U., Housley-Markovic, Z., Fotheringham, I., Edwards, M., Hunter, M., Kirschner, K. and Jansonius, J. N., Crystallization and Preliminary X-ray Studies of an Aspartate Aminotransferase Mutant from *Escherichia coli* 499

Kato, H., Yamaguchi, H., Hata, Y., Nishioka, T., Katsube, Y. and Oda, J., Crystallization and Preliminary X-ray Studies of Glutathione Synthetase from *Escherichia coli* B 503

Number 4, 20 October 1989

Thomann, H.-U., Schmutzler, C., Hüdepohl, U., Blow, M. and Gross, H. J., Genes, Variant Genes and Pseudogenes of the Human $tRNA^{Val}$ Gene Family. Expression and Pre-tRNA Maturation *in Vitro* 505

Heisig, A., Riedel, H.-D., Dobrinski, B., Lurz, R. and Schuster, H., Organization of the Immunity Region *imm*I of Bacteriophage P1 and Synthesis of the P1 Antirepressor . 525

Subbiah, S. and Harrison, S. C., A Method for Multiple Sequence Alignment with Gaps. 539

Presland, R. B., Gregg, K., Molloy, P. L., Morris, C. P., Crocker, L. A. and Rogers, G. E., Avian Keratin Genes. I. A Molecular Analysis of the Structure and Expression of a Group of Feather Keratin Genes 549

Presland, R. B., Whitbread, L. A. and Rogers, G. E., Avian Keratin Genes. II. Chromosomal Arrangement and Close Linkage of Three Gene Families 561

Phear, G., Armstrong, W. and Meuth, M., Molecular Basis of Spontaneous Mutation at the *aprt* Locus of Hamster Cells 577

Bhattacharyya, A. and Lilley, D. M. J., Single Base Mismatches in DNA. Long- and Short-range Structure Probed by Analysis of Axis Trajectory and Local Chemical Reactivity 583

Rao, D. N., Page, M. G. P. and Bickle, T. A., Cloning, Over-expression and the Catalytic Properties of the *Eco*P15 Modification Methylase from *Escherichia coli* 599

Brunelle, A. and Schleif, R., Determining Residue–Base Interactions Between AraC Protein and *ara*I DNA 607

Kusano, K., Nakayama, K. and Nakayama, H., Plasmid-mediated Lethality and Plasmid Multimer Formation in an *Escherichia coli recBC sbcBC* Mutant. Involvement of RecF Recombination Pathway Genes 623

Salhi, S., Elie, C., Forterre, P., de Recondo, A.-M. and Rossignol, J.-M., DNA Polymerase from *Sulfolobus acidocaldarius*. Replication at High Temperature of Long Stretches of Single-stranded DNA. 635

Triman, K., Becker, E., Dammel, C., Katz, J., Mori, H., Douthwaite, S., Yapijakis, C., Yoast, S. and Noller, H. F., Isolation of Temperature-sensitive Mutants of 16 S rRNA in *Escherichia coli* 645

Douthwaite, S., Powers, T., Lee, J. Y. and Noller, H. F., Defining the Structural Requirements for a Helix in 23 S Ribosomal RNA that Confers Erythromycin Resistance 655

Michaud, G., Zachary, A., Rao, B. V. and Black, L. W., Membrane-associated Assembly of a Phage T4 DNA Entrance Vertex Structure Studied with Expression Vectors 667

Leder, R. O., Helgerson, S. L. and Thomas, D. D., The Transverse Location of the Retinal Chromophore in the Purple Membrane by Diffusion-enhanced Energy Transfer 683

Yamamoto, K., ATP-induced Structural Change in Myosin Subfragment-1 Revealed by the Location of Protease Cleavage Sites on the Primary Structure 703

Anderson, B. F., Baker, H. M., Norris, G. E., Rice, D. W. and Baker, E. N., Structure of Human Lactoferrin: Crystallographic Structure Analysis and Refinement at 2·8 Å Resolution 711

Schutt, C. E., Lindberg, U., Myslik, J. and Strauss, N., Molecular Packing in Profilin:Actin Crystals and its Implications 735

Glasel, J. A., Nuclear Magnetic Resonance Studies of Flexible Opiate Conformations at Monoclonal Antibody Binding Sites. Quantitative Interproton Distances Obtained from Comparing Theoretical and Experimental Transferred Nuclear Overhauser Enhancement: Correlation with Antibody Sequence 747

Miller, A., III and Glasel, J. A., Comparative Sequence and Immunochemical Analyses of Murine Monoclonal Anti-morphine Antibodies 763

Finzel, B. C., Clancy, L. L., Holland, D. R., Muchmore, S. W., Watenpaugh, K. D. and Einspahr, H. M., Crystal Structure of Recombinant Human Interleukin-1β at 2·0 Å Resolution 779

Hofmann, B. E., Bender, H. and Schulz, G. E., Three-dimensional Structure of Cyclodextrin Glycosyltransferase from *Bacillus circulans* at 3·4 Å Resolution . . 793

Ha, J.-H., Spolar, R. S. and Record, M. T., Jr Role of the Hydrophobic Effect in Stability of Site-specific Protein–DNA Complexes 801

Appendix 1 813

Appendix 2 814

Letters to the Editor

Sneddon, S. F., Tobias, D. J. and Brooks, C. L., III Thermodynamics of Amide Hydrogen Bond Formation in Polar and Apolar Solvents 817

Watowich, S. J., Gross, L. J. and Josephs, R., Intermolecular Contacts Within Sickle Hemoglobin Fibers 821

Rubin, J. R. and Burton, L. E., Crystallization and Preliminary X-ray Diffraction Studies of Bovine Recombinant Immune Interferon 829

Papiz, M. Z., Hawthornthwaite, A. M., Cogdell, R. J., Woolley, K. J., Wightman, P. A., Ferguson, L. A. and Lindsay, J. G., Crystallization and Characterization of Two Crystal Forms of the B800–850 Light-harvesting Complex from *Rhodopseudomonas acidophila* Strain 10050 833

Index to Volume 209

Actin: profilin crystals, molecular packing; implications, 735
Adenine (Dam) methylation, transposition effect on activity of O end mutants of IS*50*, 191
Aizawa, S.-I. (see also Vonderviszt, F.), 127
Altschuh, D., Kocher, H.-P., Quesniaux, V. F. J., Schmitter, D., Van Regenmortel, M. H. V. & Thierry, J.-C., Crystallization and preliminary X-ray investigation of a complex between a Fab fragment and its antigen, cyclosporin, 177
Amide hydrogen bond formation in polar and apolar solvents; thermodynamics, 817
Aminoacyl-tRNA selection rates at 29 sense codons *in vivo*, 65
Amino-terminal fragment of GAL4 binds DNA as a dimer, 423
Amzel, L. M. (see also Yuhasz, S. C.), 319
Andachi, Y., Yamao, F., Muto, A. & Osawa, S., Codon recognition patterns as deduced from sequences of the complete set of transfer RNA species in *Mycoplasma capricolum*. Resemblance to mitochondria, 37
Anderson, B. F., Baker,. H. M., Norris, G. E., Rice, D. W. & Baker, E. N., Structure of human lactoferrin: crystallographic structure analysis and refinement at 2·8 Å resolution, 711
Anderson, D. (see also Grimes, S.), 91, 101
Antibody, monoclonal, binding sites; n.m.r. studies of flexible opiate conformations, 747
Anti-4-hydroxy-3-nitrophenylacetic acid monoclonal antibody Fab fragment complexed with immunizing and heteroclitic haptens, crystallization and X-ray studies, 319
Anti-morphine antibodies, monoclonal, murine; comparative sequence and immunochemical analyses, 763
Anti-termination, ribosomal RNA operon; function of leader and spacer region boxB–boxA sequences and their conservation in diverse micro-organisms, 345
Apo-lactoferrin, human, in its native and deglycosylated forms; crystallographic studies, 329
aprt locus of hamster cells; molecular basis of spontaneous mutation, 577
AraC protein and *ara*I DNA; residue–base interactions, 607
Armstrong, W. (see also Phear, G.), 577
Asakura, S. (see also Ikeda, T.), 109
Aspartate aminotransferase mutant from *Escherichia coli*, crystallization and X-ray studies, 499
Assembly, membrane-associated, of a phage T4 DNA entrance vertex structure studied with expression vectors, 667
Assembly of hybrid RNAs with TMV coat protein; incorporation of disks in 5′-elongation along the major RNA tail, 407
Assembly and properties of chromatin containing histone H1, 135
Association–dissociation, rapid, of ribonuclease T_1 from a recombinant strain of *E. coli*, 315
ATP-induced structural change in myosin subfragment-1 revealed by location of protease cleavage sites on the primary structure, 703
Auer, J., Spicker, G. & Böck, A., Organization and structure of the *Methanococcus* transcriptional unit homologous to the *Escherichia coli* "spectinomycin operon". Implications for the evolutionary relationship of 70 S and 80 S ribosomes, 21
Austin, S. J. (see also Ludtke, D. N.), 393
Avian keratin genes. Chromosomal arrangement and close linkage of three gene families, 561
Avian keratin genes. Molecular analysis of structure and expression of a group of feather keratin genes, 549

Bacillus circulans cyclodextrin glycosyltransferase, three-dimensional structure at 3·4 Å resolution, 793
Bacteriophage P1, organization of the immunity region *imm*I, and synthesis of the P1 antirepressor, 525
Bacteriophage ϕ29, cleaving the prohead RNA alters the *in vitro* packaging of restriction fragments of DNA-gp3, 101
Bacteriophage ϕ29 DNA restriction fragments, *in vitro* packaging, and the role of the terminal protein gp3, 91
Bacteriophage T4 DNA entrance vertex structure, membrane-associated assembly, studied with expession vectors, 667
Bacteriophage T4 gene *32* protein complexes formed with single-stranded DNA and polynucleotides; a linear dichroism study, 433
Baker, E. N. (see also Anderson, B. F.), 711
Baker, E. N. (see also Norris, G. E.), 329
Baker, H. M. (see also Anderson, B. F.), 711
Baker, H. M. (see also Norris, G. E.), 329
Bander, H. (see also Hofmann, B. E.), 793
Becker, E. (see also Triman, K.), 645
Beckmann, E. (see also Sass, H. J.), 171
Berg, D. E. (see also Tomcsanyi, T.), 191
Berg, K. L., Squires, C. & Squires, C. L., Ribosomal RNA operon anti-termination. Function of leader and spacer region box B–box A sequences and their conservation in diverse micro-organisms, 345
Bergfors, T., Rouvienen, J., Lehtovaara, P.,Caldentey, X., Tomme, P., Claeyssens, M., Pettersson, G., Teeri, T., Knowles, J. & Jones, T. A., Crystallization of the core protein of cellobiohydrolase II from *Trichoderma reesei*, 167
Bhattacharyya, A. & Lilley, D. M. J., Single base mismatches in DNA. Long- and short-range structure probed by analysis of axis trajectory and local chemical reactivity, 583
Bickle, T. A. (see also Rao, D. N.), 599
Black, L. W. (see also Michaud, G.), 667
Blow, M. (see also Thomann, H.-U.), 505
Böck, A. (see also Auer, J.), 21
Bombyx mori, gene evolution and regulation in the chorion complex, 1
Bovine recombinant immune interferon, crystallization and X-ray studies, 829
Boyer, V. (see also Sage, E.), 297
Brenner, S. L. (see also Zlotnick, A.), 447
Brooks, C. L., III (see also Sneddon, S. F.), 817
Brown, S., Time of action of 4·5 S in *Escherichia coli* translation, 79
Brunelle, A. & Schleif, R., Determining residue–base interactions between AraC protein and *ara*I DNA, 607
Büldt, G. (see also Sass, H. J.), 171
Burton, L. E. (see also Rubin, J. R.), 829
Butler, P. J. G. (see also Turner, D. R.), 407

Caldentey, X. (see also Bergfors, T.), 167
3-Carbethoxypsoralen-induced photo-oxidation of DNA, 297
Carey, M., Kakidani, H., Leatherwood, J., Montashari, F. & Ptashne, M., An amino-terminal fragment of GAL4 binds DNA as a dimer, 423
Cellobiohydrolase II from *Trichoderma reesei*; crystallization of the core protein, 167
Chevrier, B. (see also Dock-Bregeon, A. C.), 459
Chinese hamster ovary cells, DNA base sequence changes induced by ultraviolet light mutagenesis of a gene on a chromosome, 195
Chorion complex of *Bombyx mori*, gene evolution and regulation, 1
Chromatin containing histone H1; assembly and properties, 135
Chromophore, retinal, transverse location in the purple membrane, by diffusion-enhanced energy transfer, 683
Claeyssens, M. (see also Bergfors, T.), 167
Clancy, L. L. (see also Finzel, B. C.), 779
Coat protein, TMV, and assembly of hybrid RNAs, 407
Codons, 29; rates of aminoacyl-tRNA selection, 65
Codon contexts from weakly expressed genes reduce expression *in vivo*, 359
Codon recognition patterns as deduced from sequences of the complete set of tRNA species in *Mycoplasma capricolum*; resemblance to mitochondria, 37
Cogdell, R. J. (see also Papiz, M. Z.), 833
Cognet, M. (see also Vaulont, S.), 205
Complementation of *in vitro*-assembled spliceosomes, 379

Core protein of cellobiohydrolase II from *Trichoderma reesei*; crystallization, 167
Cowan, G. M. (see also Kannan, P.), 335
Crocker, L. A. (see also Presland, R. B.), 549
Cryo-electron microscopy reveals densely packed β-structure at the protein–lipid interface of porin, 171
Crystals, profilin: actin; molecular packing and its implications, 735
Crystallization and characterization of two crystal forms of the B800–850 light-harvesting complex from *Rhodopseudomonas acidophila* strain 10050, 833
Crystallization of the core protein of cellobiohydrolase II from *Trichoderma reesei*, 167
Crystallization and X-ray studies of an anti-4-hydroxy-3-nitrophenylacetic acid monoclonal antibody Fab fragment complexed with immunizing and heteroclitic haptens, 319
Crystallization and X-ray studies of an aspartate aminotransferase mutant from *Escherichia coli*, 499
Crystallization and X-ray diffraction studies of bovine recombinant immune interferon, 829
Crystallization and X-ray investigation of a complex between a Fab fragment and its antigen, cyclosporin, 177
Crystallization and X-ray studies of glutathione synthetase from *Escherichia coli*, B, 503
Crystallographic mapping of β-lactams bound to a D-alanyl-D-alanine peptidase target enzyme, 281
Crystallographic studies on human apo-lactoferrin in its native and deglycosylated forms, 329
Curran, J. F. & Yarus, M., Rates of aminoacyl-tRNA selection at 29 sense codons *in vivo*, 65
Cyclodextran, glycosyltransferase from *Bacillus circulans*, three-dimensional structure at 3·4 Å resolution, 793
Cyclosporin complex with Fab fragment of anti-cyclosporin monoclonal antibody; crystallization and X-ray investigation, 177

D-alanyl-D-alanine peptidase target enzyme, crystallographic mapping of bound β-lactams, 281
Dam, transposition effect on activity of O end mutants of IS*50*, 191
Dammel, C. (see also Triman, K.), 645
Daniel, A. S. (see also Kannan, P.), 335
de Bear, J. S. (see also Dock-Bregeon, A. C.), 459
DNA: an amino-terminal fragment of GAL4 binds as a dimer, 423
DNA, *ara*I, and AraC protein; determining residue–base interactions, 607
DNA base sequence changes induced by ultraviolet light mutagenesis of a gene on a chromosome in Chinese hamster ovary cells, 195
DNA–gp3 restriction fragments, *in vitro* packaging is altered by cleaving the prohead RNA of bacteriophage ϕ29, 101
DNA, oxidative damage photo-induced by 3-carbethoxypsoralen and other furocoumarins, 297
DNA polymerase from *Sulfolobus acidocaldarius*. Replication at high temperature of long stretches of single-stranded DNA, 635
DNA–protein complexes; role of the hydrophobic effect in stability, 801
DNA–protein electrostatic interactions, an α-helical peptide model; the N terminus of RecA, 447
DNA restriction fragments, ϕ29, *in vitro* packaging, and the role of the terminal protein gp3, 91
DNA, single base mismatches; long- and short-range structure probed by analysis of axis trajectory and local chemical reactivity, 583
DNA, T4, entrance vertex structure, membrane-associated assembly, studied with expression vectors, 667
DNA (see also Single-stranded DNA), 433, 635
De Recondo, A.-M. (see also Salhi, S.), 635
Dichroism, linear, study: orientation of bases of single-stranded DNA and polynucleotides in complexes formed with the gene *32* protein of bacteriophage T4, 433
Disk incorporation in 5′-elongation along the major RNA tail; assembly of hybrid RNAs with TMV coat protein, 407
Dobrinski, B. (see also Heisig, A.), 525
Dock-Bregeon, A. C., Chevrier, B., Podjarny, A., Johnson, J., de Bear, J. S., Gough, G. R., Gilham, P. T. & Moras, D., Crystallographic structure of an RNA helix: $[U(UA)_6A]_2$, 459
Dodds, J. A. (see also Koszelak, S.), 323
Dorset, D. L. (see also Sass, H. J.), 171
Douthwaite, S., Powers, T., Lee, J. Y. & Noller, H. F., Defining the structural requirements for a helix in 23 S ribosomal RNA that confers erythromycin resistance, 655
Douthwaite, S. (see also Triman, K.), 645
Draper, D. E. (see Vartikar, J. V.), 221
Drosophila hydei, characterization of the long terminal repeats of micropia elements microdissected from the Y-chromosomal lampbrush loops "threads", 493

*Eco*P15 modification methylase from *E. coli*; cloning, overexpression and the catalytic properties, 599
Edwards, M. (see also Jäger, J.), 499
Efstratiadis, A. (see also Parent, A.), 379
Eichorn, B. G. (see also Ludtke, D. N.), 393
Eickbush, T. H. (see also Spoerel, N. A.), 1
Einspahr, H. M. (see also Finzel, B. C.), 779
Electrostatic interactions of proteins with DNA, an alpha-helical peptide model; the N terminus of RecA, 447
Elie, C. (see also Salhi, S.), 635
Erythromycin resistance; defining the structural requirements for a conferring helix in 23 S rRNA, 655
Escherichia coli aspartate aminotransferase mutant, crystallization and X-ray studies, 499
Escherichia coli B glutathione synthetase, crystallization and X-ray studies, 503
*Escherichia coli Eco*P15 modification methylase; cloning, overexpression and catalytic properties, 599
Escherichia coli, isolation of temperature-sensitive mutants of 16 S rRNA, 645
Escherichia coli, evidence for rapid association–dissociation of ribonuclease T_1 from a recombinant strain, 315
Escherichia coli recBC sbcBC mutant; plasmid-mediated lethality and plasmid multimer formation; involvement of RecF recombination pathway genes, 623
Escherichia coli S4–16 S ribosomal RNA complex. Binding constant measurements and specific recognition of a 460-nucleotide region, 221
Escherichia coli "spectinomycin operon" organization and structure of the homologous *Methanococcus* transcriptional unit, 21
Escherichia coli translation; time of action of 4·5 S RNA, 79
Evolution and regulation of genes in the chorion complex of *Bombyx mori*, 1
Evolutionary patterns of goat pseudogene, 181
Evolutionary relationship of 70 S and 80 S ribosomes, 21
Expression and codon context, 359

Fab fragment of anti-4-hydroxy-3-nitrophenylacetic acid monoclonal antibody complexed with immunizing and heteroclitic haptens, crystallization and X-ray studies, 319
Fab fragment complex with its antigen, cyclosporin; crystallization and X-ray investigation, 177
Feather keratin genes, chromosomal arrangement and close linkage of three gene families, 561
Feather keratin genes, molecular analysis of the structure and expression of a group, 549
Ferguson, L. A. (see also Papiz, M. Z.), 833
Fibers, hemoglobin, sickle; intermolecular contacts, 821
Finzel, B. C., Clancy, L. L., Holland, D. R., Muchmore, S. W., Watenpaugh, K. D. & Einspahr, H. M., Crystal structure of recombinant human interleukin-1β at 2·0 Å resolution, 779
Flagella filaments, *Salmonella*, total reconstitution from hook and purified flagellin and hook-associated proteins *in vitro*, 109
Flagellin terminal regions are disordered in solution, 127
Folley, L. S. & Yarus, M., Codon contexts from weakly expressed genes reduce expression *in vivo*, 359
Forterre, P. (see also Salhi, S.), 635

Fotheringham, I. (see also Jäger, J.), 499
Frank, J. (see also Verschoor, A.), 115
Frère, J.-M. (see also Kelly, J. A.), 281
Furocoumarin-induced photo-oxidation of DNA, 297

GAL4 amino-terminal fragment binds DNA as a dimer, 423
Gann, A. A. F. (see also Kannan, P.), 335
Garber, M. (see also Trakhanov, S.), 327
Gene on a chromosome in Chinese hamster ovary cells, DNA base sequence changes induced by ultraviolet light mutagenesis, 195
Gene evolution and regulation in the chorion complex of *Bombyx mori*, 1
Gene *32* protein, T4, complexes formed with single-stranded DNA and polynucleotides; linear dichroism study, 433
Genes, variant genes and pseudogenes of the human $tRNA^{Val}$ gene family. Expression and pre-tRNA maturation *in vitro*, 505
Genes, weakly expressed; codon contexts reduce expression *in vivo*, 359
Georgalis, Y., Zielenkiewicz P. & Saenger, W., Evidence for rapid association–dissociation of ribonuclease T_1 from a recombinant strain of *Escherichia coli*, 315
Ghuysen, J.-M. (see also Kelly, J. A.), 281
Gilham, P. T. (see also Dock-Bregeon, A. C.), 459
Glasel, J. A., Nuclear magnetic resonance studies of flexible opiate conformations at monoclonal antibody binding sites. Quantitative interproton distances obtained from comparing theoretical and experimental transferred nuclear Overhauser enhancement: correlation with antibody sequence, 747
Glasel, J. A. (see also Miller, A., III), 763
Glycolate oxidase, spinach, refined structure at 2 Å resolution, 151
Goat $\psi\beta^{y}$ β-globin pseudogene structure. Analysis of goat pseudogene evolutionary patterns, 181
Gottesman, M. E. (see also Griffo, G.), 55
Gough, G. R. (see also Dock-Bregeon, A. C.), 459
gp3 terminal protein, role in *in vitro* packaging of ϕ29 DNA restriction fragments, 91
Gregg, K. (see also Presland, R. B.), 549
Griffo, G., Oppenheim, A. B. & Gottesman, M. E., Repression of the λ p*cin* promoter by integrative host factor, 55
Grimes S. & Anderson, D., Cleaving the prohead RNA of bacteriophage ϕ29 alters the *in vitro* packaging of restrictive fragments of DNA-gp3, 101
Grimes, S. & Anderson, D., *In vitro* packaging of bacteriophage ϕ29 DNA restriction fragments and the role of the terminal protein gp3, 91
Gross, H. J. (see also Thomann, H.-U.), 505
Gross, L. J. (see also Watowich, S. J.), 821

Ha, J.-H., Spolar, R. S. & Record, M. T., Jr, Role of the hydrophobic effect in stability of site-specific protein–DNA complexes, 801
Haemocyanin hexamer from *Panulirus interruptus*, crystal structure refined at 3·2 Å resolution, 249
Hamster cells, molecular basis of spontaneous mutation at the *aprt* locus, 577
Harrison, S. C. (see also Subbiah, S.), 539
Hata, Y. (see also Kato, H.), 503
Hawthornthwaite, A. M. (see also Papiz, M. Z.), 833
Heisig, A., Riedel, H.-D., Dobrinski, B., Lurz, R. & Schuster, H., Organization of the immunity region *imm*I of bacteriophage P1 and synthesis of the P1 antirepressor, 525
Helene, C. (see also Sage, E.), 297
Helgerson, S. L. (see also Leder, R. O.), 683
α-Helical peptide model for electrostatic interactions of proteins with DNA; the N terminus of RecA, 447
Helland, D. E. (see also Sage, E.), 297
Heme cavity, liver fluke, structural and electronic properties by n.m.r. and optical spectroscopy, 235
Hemoglobin fibers, sickle; intermolecular contacts, 821
Hennig, W. (see also Lankenau, D.-H.), 493
Histidine residue, distal, lacking in myoglobins; unique spectral properties, 489
Histone H1 and assembly and properties of chromatin, 135
Hofmann, B. E., Bander, H. & Schulz, G. E., Three-dimensional structure of cyclodextrin glycosyltransferase from *Bacillus circulans* at 3·4 Å resolution, 793
Hol, W. G. J. (see also Volbeda, A.), 249
Holland, D. R. (see also Finzel, B. C.), 779
Housley-Markovic, Z. (see also Jäger, J.), 499
Hüdepohl, U. (see also Thomann, H.-U.), 505
Huijser, P. (see also Lankenau, D.-H.), 493
Human apo-lactoferrin in its native and deglycosylated forms; crystallographic studies, 329
Human lactoferrin, crystallographic structure analysis and refinement at 2·8 Å resolution, 711
Human recombinant interleukin-1β, crystal structure at 2·0 Å resolution, 779
Human $tRNA^{Val}$ gene family; genes, variant genes and pseudogenes; expression and pre-tRNA maturation *in vitro*, 505
Hunter, M. (see also Jäger, J.), 499
Hutchinson, F. (see also Romac, S.), 195
Hydrogen bond formation, amide, in polar and apolar solvents; thermodynamics, 817
Hydrophobic effect, role in stability of site-specific protein–DNA complexes, 801

Ikeda, T., Asakura, S. & Kamiya, R., Total reconstitution of *Salmonella* flagellar filaments from hook and purified flagellin and hook-associated proteins *in vitro*, 109
Immunity region *imm*I, P1, organization, and synthesis of the P1 antirepressor, 525
Immunochemical analysis of murine monoclonal anti-morphine antibodies, 763
Integrative host factor repression of the λ p*cin* promoter, 55
Interferon, immune, recombinant, bovine; crystallization and X-ray studies, 829
Interleukin-1β, human, recombinant, crystal structure at 2·0 Å resolution, 779
Intermolecular contacts within hemoglobin fibers, 821
IS*50*, transposition effect of adenine (Dam) methylation on activity of O end mutants, 191
Isolectins, wheat germ, two; a comparison of their crystal structures, 475

Jäger, J., Köhler, E., Tucker, P., Sauder, U., Housley-Markovic, Z., Fotheringham, I., Edwards, M., Hunter, M., Kirschner, K. & Jansonius, J. N., Crystallization and preliminary X-ray studies of an aspartate aminotransferase mutant from *Escherichia coli*, 499
Jansonius, J. N. (see also Jäger, J.), 499
Johnson, J. (see also Dock-Bregeon, A. C.), 459
Jones, T. A. (see also Bergfors, T.), 167
Josephs, R. (see also Watowich, S. J.), 821

Kafatos, F. C. (see also Spoerel, N. A.), 1
Kahn, A. (see also Vaulont, S.), 205
Kakidani, H. (see also Carey, M.), 423
Kamiya, R. (see also Ikeda, T.), 109
Kannan, P., Cowan, G. M., Daniel, A. S., Gann, A. A. F. & Murray, N. E., Conservation of organization in the specificity polypeptides of two families of type I restriction enzymes, 335
Kanto, S. (see also Vondervizst, F.), 127
Kato, H., Yamaguchi, H., Hata, Y., Nishioka, T., Katsube, Y. & Oda, J., Crystallization and preliminary X-ray studies of glutathione synthetase from *Escherichia coli*, B, 503
Katsube, Y. (see also Kato, H.), 503
Katz, J. (see also Triman, K.), 645
Kelly, J. A., Knox, J. R., Zhao, H., Frère, J.-M. & Ghuysen, J.-M., Crystallographic mapping of β-lactams bound to a D-alanyl-D-alanine peptidase target enzyme, 281
Keratin genes, avian; chromosomal arrangement and close linkage of three gene families, 561

Keratin genes, avian; molecular analysis of structure and expression of a group of feather keratin genes, 549
Kirschner, K. (see also Jäger, J.), 499
Kittler, L. (see also Sage, E.), 297
Knowles, J. (see also Bergfors, T.), 167
Knox, J. R. (see also Kelly, J.A.), 281
Kocher, H.-P. (see also Altschuh, D.), 177
Köhler, E. (see also Jäger, J.), 499
Koszelak, S., Dodds, J. A. & McPherson, A., Preliminary analysis of crystals of satellite tobacco mosaic virus, 323
Kusano, K., Nakayama, K. & Nakayama, H., Plasmid-mediated lethality and plasmid multimer formation in an *Escherichia coli recBC sbcBC* mutant. Involvement of RecF recombination pathway genes, 623

β-Lactams bound to a D-alanyl-D-alanine peptidase target enzyme; crystallographic mapping, 281
Lactoferrin, human, crystallographic structure analysis and refinement at 2·8 Å resolution, 711
La Mar, G. N. (see also Lecomte, J. T. J.), 235
λ *pcin* promoter repression by integrative host factor, 55
Lankenau, D.-H., Huijser, P. & Hennig, W., Characterization of the long terminal repeats of micropia elements microdissected from the Y-chromosomal lampbrush loops "threads" of *Drosophila hydei*, 493
Leatherwood, J. (see also Carey, M.), 423
Lecomte, J. T. J., Smit, J. D. G., Winterhalter, K. H. & La Mar, G. N., Structural and electronic properties of the liver fluke heme cavity by nuclear magnetic resonance and optical spectroscopy. Evidence for a distal tyrosine residue in a normally functioning hemoglobin, 235
Leder, R. O., Helgerson, S. L. & Thomas, D. D., The transverse location of the retinal chromophore in the purple membrane by diffusion-enhanced energy transfer, 683
Le Doan, T. (see also Sage, E.), 297
Lee, J. Y. (see also Douthwaite, S.), 655
Lehtovaara, P. (see also Bergfors, T.), 167
Leong, P. (see also Romac, S.), 195
Levrat, F. (see also Vaulont, S.), 205
Light-harvesting complex, B800-850, from *Rhodopseudomonas acidophila* strain 10050, crystallization and characterization, 833
Lindberg, U. (see also Schutt, C. E.), 735
Lindsay, J. G. (see also Papiz, M. Z.), 833
Lindqvist, Y., Refined structure of spinach glycolate oxidase at 2 Å resolution, 151
Lilley, D. M. J. (see also Bhattacharyya, A.), 583
Liver fluke heme cavity, structural and electronic properties by n.m.r. and optical spectroscopy, 235
Liver-specific pyruvate kinase gene promoter, and protein binding; a unique combination of known factors, 205
Long terminal repeats of micropia elements microdissected from the Y-chromosomal lampbrush loops "threads" of *Drosophila hydei*; characterization, 493
Ludtke, D. N., Eichorn, B. G. & Austin, S. J., Plasmid-partition functions of the P7 prophage, 393
Lurz, R. (see also Heisig, A.), 525

McGuigan, C. J. (see also Turner, D. R.), 407
McPherson, A. (see also Koszelak, S.), 323
Mammalian 40 S ribosomal subunit, three-dimensional reconstruction, 115
Mapping, crystallographic, of β-lactams bound to a D-alanyl-D-alanine peptidase target enzyme, 281
Massalski, A. (see also Sass, H. J.), 171
Matsuoka, A. (see also Shikama, K.), 489
Membrane-associated assembly of a phage T4 DNA entrance vertex structure studied with expression vectors, 667
Methanococcus transcriptional unit homologous to the *E. coli* "spectinomycin operon"; organization and structure, 21
Meuth, M. (see also Phear, G.), 577
Michaud, G., Zachary, A., Rao, B. V. & Black, L. W., Membrane-associated assembly of a phage T4 DNA entrance vertex structure studied with expression vectors, 667
Micropia elements microdissected from the Y-chromosomal lampbrush loops "threads" of *Drosophila hydei*; characterization of the long terminal repeats, 493
Miller, A., III & Glasel, J. A., Comparative sequence and immunochemical analyses of murine monoclonal anti-morphine antibodies, 763
Mismatches, base, single, in DNA; long- and short-range structure probed by analysis of axis trajectory and local chemical reactivity, 583
Mitschler, A. (see also Trakhanov, S.), 327
Molloy, P. L. (see also Presland, R. B.), 549
Monoclonal antibody binding sites, n.m.r. studies of flexible opiate conformations, 747
Monoclonal anti-morphine antibodies, murine, comparative sequence and immunochemical analyses, 763
Montashari, F. (see also Carey, M.), 423
Moras, D. (see also Dock-Bregeon, A. C.), 459
Moras, D. (see also Trakhanov, S.), 327
Mori, H. (see also Triman, K.), 645
Morris, C. P. (see also Presland, R. B.), 549
Moshirfar, M. (see also Shapiro, S. G.), 181
Moustacchi, E. (see also Sage, E.), 297
Muchmore, S. W. (see also Finzel, B. C.), 779
Murine monoclonal anti-morphine antibodies, comparative sequence and immunochemical analyses, 763
Murray, N. E. (see also Kannan, P.), 335
Mutagenesis by ultraviolet light of a gene on a chromosome in Chinese hamster ovary cells; DNA base sequence changes induced, 195
Mutant, aspartate aminotransferase, from *Escherichia coli*; crystallization and X-ray studies, 499
Mutant, *E. coli recBC sbcBC*; plasmid-mediated lethality and plasmid multimer formation; involvement of RecF recombination pathway genes, 623
Mutants, O end, of IS*50*, transposition effect of adenine (Dam) methylation on activity, 191
Mutants, temperature-sensitive, of 16 S rRNA in *E. coli*, 645
Mutation, spontaneous, at the *aprt* locus of hamster cells; molecular basis, 577
Muto, A. (see also Andachi, Y.), 37
Myoglobins lacking the usual distal histidine residue have unique spectral properties, 489
Mycoplasma capricolum, codon recognition patterns as deduced from sequences of the complete set of tRNA species, 37
Myosin subfragment-1, ATP-induced structural change revealed by the location of protease cleavage sites on the primary structure, 703
Myslik, J. (see also Schutt, C. E.), 735

Nakayama, H. (see also Kusano, K.), 623
Nakayama, K. (see also Kusano, K.), 623
Namba, K. (see also Vonderviszt, F.), 127
Nguyen, H. T. (see also Spoerel, N. A.), 1
Nishioka, T. (see also Kato, H.), 503
Noller, H. F. (see also Douthwaite, S.), 645, 655
Norris, G. E., Baker, H. M. & Baker, E. N., Preliminary crystallographic studies on human apolactoferrin in its native and deglycosylated forms, 329
Norris, G. E. (see also Anderson, B. F.), 711
Nuclear magnetic resonance and optical spectroscopy study of structural and electronic properties of the liver fluke heme cavity, 235
Nuclear magnetic resonance studies of flexible opiate conformations at monoclonal antibody binding sites, 747

Obrig, T. (see also Verschoor, A.), 115
Oda, J. (see also Kato, H.), 503
Opiate conformations, flexible, at monoclonal antibody binding sites; n.m.r. studies, 747
Oppenheim, A. B. (see also Griffo, G.), 55
Organization conservation in the specificity polypeptides of two families of type I restriction enzymes, 335
Organization of the immunity region *imm*I of bacteriophage P1 and synthesis of the P1 antirepressor, 525
Osawa, S. (see also Andachi, Y.), 37

Trichoderma reesei, crystallization of the core protein of cellobiohydrolase II, 167
Triman, K., Becker, E., Dammel, C., Katz, J. Mori, H., Douthwaite, S., Yapijakis, C., Yoast, S. & Noller, H. F., Isolation of temperature-sensitive mutants of 16 S rRNA in *Escherichia coli*, 645
Tucker, P. (see also Jäger, J.), 499
Turner, D. R., McGuigan, C. J. & Butler, P. J. G., Assembly of hybrid RNAs with tobacco mosaic virus coat protein. Evidence for incorporation of disks in 5′-elongation along the major RNA tail, 407
Tyrosine residue, distal, in a normally functioning hemoglobin; structural and electronic properties of the liver fluke heme cavity by n.m.r. and optical spectroscopy, 235

Ultraviolet light mutagenesis of a gene on a chromosome in Chinese hamster ovary cells; DNA base sequence changes induced, 195

Van Amerongen, H. & Van Grondelle, R., Orientation of the bases of single-stranded DNA and polynucleotides in complexes formed with the gene *32* protein of bacteriophage T4. A linear dichroism study, 433
Van Grondelle, R. (see also Van Amerongen, H.), 433
Van Heel, M. (see also Sass, H. J.), 171
Van Regenmortel, M. H. V. (see also Altschuh, D.), 177
Vartikar, J. V. & Draper, D. E., S4–16 S ribosomal RNA complex. Binding constant measurements and specific recognition of a 460-nucleotide region, 221
Vaulont, S., Puzenat, N., Levrat, F., Cognet, M., Kahn, A. & Raymondjean, M., Proteins binding to the liver-specific pyruvate kinase gene promoter. A unique combination of known factors, 205
Verschoor, A., Zhang, N.-Y., Wagenknecht, T., Obrig, T., Radermacher, M. & Frank, J., Three-dimensional reconstruction of mammalian 40 S ribosomal subunit, 115
Vertex, DNA entrance, structure; membrane-associated assembly studied with expression vectors, 667
Virus, satellite tobacco mosaic, preliminary analysis of crystals, 323
Virus, tobacco mosaic, coat protein, and assembly of hybrid RNAs; disk incorporation in 5′-elongation along the major RNA tail, 407
Volbeda, A. & Hol, W. G. J., Crystal structure of hexameric haemocyanin from *Panulirus interruptus* refined at 3·2 Å resolution, 249
Vondervizst, F., Kanto, S., Aizawa, S.-I. & Namba, K., Terminal region of flagellin are disordered in solution, 127

Wagenknecht, T. (see also Verschoor, A.), 115
Watenpaugh, K. D. (see also Finzel, B. C.), 779
Watowich, S. J., Gross, L. J. & Josephs, R., Intermolecular contacts within sickle hemoglobin fibers, 821
Wheat germ isolectins, two; a comparison of their crystal structures, 475
Whitbread, L. A. (see also Presland, R. B.), 561
Wightman, P. A. (see also Papiz, M. Z.), 833
Wilson, R. C. (see also Parent, A.), 379
Winterhalter, K. H. (see also Lecomte, J. T. J.), 235
Woolley, K. J. (see also Papiz, M. Z.), 833
Worcel, A. (see also Rodríguez-Campos, A.), 135
Wright, C. S., Comparison of the refined crystal structures of two wheat germ isolectins, 475

X-ray diffraction studies of an anti-4-hydroxy-3-nitrophenylacetic acid monoclonal antibody Fab fragment complexed with immunizing and heteroclitic haptens, 319
X-ray studies of an aspartate aminotransferase mutant from *Escherichia coli*, 499
X-ray diffraction studies of bovine recombinant immune interferon, 829
X-ray investigation of a complex between a Fab fragment and its antigen, cyclosporin, 177
X-ray study of crystals of satellite tobacco mosaic virus, 323
X-ray studies of glutathione synthetase from *Escherichia coli* B, 503
X-ray investigation of 70 S ribosome crystals from *Thermus thermophilus*, 327

Yamaguchi, H. (see also Kato, H.), 503
Yamamoto, K., ATP-induced structural change in myosin subfragment-1 revealed by the location of protease cleavage sites on the primary structure, 703
Yamao, F. (see also Andachi, Y.), 37
Yapijakis, C. (see also Triman, K.), 645
Yarus, M. (see also Curran, J. F.), 65
Yarus, M. (see also Folley, L. S.), 359
Y-chromosomal lampbrush loops "threads" of *Drosophila hydei*, characterization of the long terminal repeats of micropia elements microdissected, 493
Yoast, S. (see also Triman, K.), 645
Ysern, X. (see also Yuhasz, S. C.), 319
Yuhasz, S. C., Ysern, X., Strand, M. & Amzel, L. M., Crystallization and preliminary X-ray diffraction studies of an anti-4-hydroxy-3-nitrophenylacetic acid monoclonal antibody Fab fragment complexed with immunizing and heteroclitic haptens, 319
Yusupov, M. (see also Trakhanov, S.), 327

Zachary, A. (see also Michaud, G.), 667
Zeitler, E. (see also Sass, H. J.), 171
Zeitlin, S. (see also Parent, A.), 379
Zemlin, F. (see also Sass, H. J.), 171
Zhang, N.-Y. (see also Verschoor, A.), 115
Zhao, H. (see also Kelly, J. A.), 281
Zielenkiewicz, P. (see also Georgalis, Y.), 315
Zlotnick, A. & Brenner, S. L., An alpha-helical peptide model for electrostatic interactions of proteins with DNA. The N terminus of RecA, 447